
Aspirin Sensitivity

spirin sensitivity may cause symptoms similar to allergic reactions in susceptible people. Patients with aspirin sensitivity typically also have asthma and nasal polyps (growths in the nose), a combination known as the "aspirin triad." Aspirin sensitivity can be confirmed in a doctor's office by performing a challenge test by giving the patient a small dose of aspirin and watching for symptoms of aspirin sensitivity to develop. The December 22/29, 2004, issue of JAMA includes an article about aspirin sensitivity with particular regard to use of aspirin in the treatment and prevention of heart disease.



SYMPTOMS OF ASPIRIN SENSITIVITY

Occurrence of the following symptoms after taking aspirin or another **nonsteroidal anti-inflammatory drug** (such as ibuprofen, indomethacin, or naproxen) suggests the possibility of aspirin sensitivity:

- · Itchy and watery eyes
- · Itchy rashes
- Nasal congestion
- Hives
- · Worsening asthma
- · Rashes around the mouth
- · Cough and wheezing
- Anaphylaxis—a severe, potentially fatal reaction including hives, difficulty breathing, and a drop in blood pressure; fortunately rare in aspirin sensitivity

PRECAUTIONS FOR PERSONS WITH ASPIRIN SENSITIVITY

- Avoid aspirin and other nonsteroidal anti-inflammatory drugs
- · Avoid drugs with aspirin as an ingredient
- People with aspirin-induced asthma can usually take acetaminophen to relieve pain

Talk to your doctor if you think you may have aspirin sensitivity. Referral to an allergist (doctor with special training in allergic diseases) may be helpful.

TREATMENT

- Many people with aspirin sensitivity can be "desensitized" under close medical supervision so that they can eventually take aspirin safely.
- During the desensitization process, very low doses of aspirin are taken each day, with the doses slowly increasing over time.

Undergoing aspirin desensitization followed by a daily aspirin dose can also improve asthma and slow the rate at which nasal polyps grow in people with the aspirin triad.

FOR MORE INFORMATION

- American Academy of Allergy, Asthma & Immunology 414/272-6071 www.aaaai.org
- American College of Allergy, Asthma & Immunology www.acaai.org
- National Institute of Allergy and Infectious Diseases 301/496-5717 www.niaid.nih.gov

INFORM YOURSELF

To find this and other JAMA Patient Pages, go to the Patient Page link on JAMA's Web site at www.jama.com. Many are available in English and Spanish.

Sources: American Academy of Allergy, Asthma & Immunology, National Institute of Allergy and Infectious Diseases

Sharon Parmet, MS, Writer Cassio Lynm, MA, Illustrator

Richard M. Glass, MD. Editor

The JAMA Patient Page is a public service of JAMA. The information and recommendations appearing on this page are appropriate in most instances, but they are not a substitute for medical diagnosis. For specific information concerning your personal medical condition. JAMA suggests that you consult your physician. This page may be photocopied noncommercially by physicians and other health care professionals to share with patients. Any other print or online reproduction is subject to AMA approval. To purchase bulk reprints, call 718/946-7424.

